

17.06.2021 SBU-F-PGM-PM

Product Datasheet uvex 1 G2 6832 9 S1 SRC



UVEX ARBEITSSCHUTZ GmbH, Würzburger Str. 181-189, D-90766 Fürth

General features	 ultra-lightweight perforated S1 safety boot
	 made from synthetic materials, making it suitable for
	people allergic to chrome
	all sole materials are free of silicone, plasticisers and
	other paint wetting impairment substances
	 three hook-and-loop straps for individual fit
Protection features	 new, innovative uvex i-PUREnrj sole technology with
	the highest level of shock-absorbing properties at the
	forefoot and at the heel, excellent rebound over the
	entire midsole and optimal stability thanks to the foam
	heel basket
	 meets the ESD specification with volume resistance
	under 35 megaohms
	 new wider 100% metal-free uvex xenova[®] safety toe
	cap for more toe room and optimum fit - compact
	design, anatomical shape, good lateral stability and no
	thermal conductivity
Comfort features	outstanding wearer comfort thanks to a newly
Connort readures	developed last and climate-optimised, breathable
	materials
	 virtually seam-free, perforated upper in high-tech
	microvelour to eliminate pressure points
	 removable antistatic comfortable insole with a
	moisture transport system, additional shock
	absorption around the heel and forefoot and excellent

	 support for the arch soft padding on the dust tongue and collar sizes 35 to 40 have been produced using a women's last
Outsole	 PUR outsole, non-marking ergonomically designed outsole incorporates the latest biomechanical research, consisting of two layers of uvex i-PUREnrj polyurethane with excellent slip resistance. The tread is particularly suited to industrial floor surfaces excellent cushioning and extremely flexible especially lightweight thanks to unique PUR sole unit excellent slip resistance, self-cleaning tread resistant to oil and petrol
Certificates	• Certified with uvex medicare for individual, orthopedic inlay soles and individual adjustments of the sole unit such as overall increase, inside and outside increase and other solutions.
Areas of application	light applications
Technical data	uvex 1 G2 perforated boot S1 SRC Artno. 6832 9 Width 12 Standard EN ISO 20345:2011 S1 SRC Size 35 – 52
Accessories	 <i>Removable uvex 1 G2 comfortable climatic insole</i> (article no.: 94907 - 94900) improved full-surface shock absorption ultra-breathable, moisture-absorbing and quick-drying materials shock absorption zones support natural movement of the foot non-irritating, comfortable surface structure anti-static properties arch support