



UVEX ARBEITSSCHUTZ GmbH, Würzburger Str. 181-189, D-90766 Fürth

General features	ultra-lightweight perforated S1 safety shoe
	 made from synthetic materials, making it suitable for people
	allergic to chrome
	 all sole materials are free of silicone, plasticisers and other
	paint wetting impairment substances
	 elastic laces for quick, individual adjustment, normal laces
	also provided
Protection features	new, innovative uvex i-PUREnrj sole technology with the
	highest level of shock-absorbing properties at the forefoot
	and at the heel, excellent rebound over the entire midsole
	and optimal stability thanks to the foam heel basket
	• meets the ESD specification with volume resistance under 35
	megaohms
	• new wider 100% metal-free uvex xenova [®] safety toe cap for
	more toe room and optimum fit — compact design,
	anatomical shape, good lateral stability and no thermal
	conductivity
Comfort features	outstanding wearer comfort thanks to a newly developed last
	and climate-optimised, breathable materials
	 virtually seam-free, perforated upper in high-tech
	microvelour to eliminate pressure points
	removable antistatic comfortable insole with a moisture
	transport system, additional shock absorption around the
	heel and forefoot and excellent support for the arch
	 soft padding on the dust tongue and collar
	 sizes 35 to 40 have been produced using a women's last
Outsole	PUR outsole, non-marking
	 ergonomically designed outsole incorporates the latest

	 biomechanical research, consisting of two layers of uvex i- PUREnrj polyurethane with excellent slip resistance. The tread is particularly suited to industrial floor surfaces excellent cushioning and extremely flexible especially lightweight thanks to unique PUR sole unit excellent slip resistance, self-cleaning tread resistant to oil and petrol
Certificates	 Certified with uvex medicare for individual, orthopedic inlay soles and individual adjustments of the sole unit such as overall increase, inside and outside increase and other solutions.
Areas of application	light applications
Technical data	uvex 1 G2 perforated shoe S1 SRC Artno. 68467 68468 68469 68460 Width 10 11 12 14 Standard EN ISO 20345:2011 S1 SRC Size 35 – 52
Accessories	 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) improved full-surface shock absorption ultra-breathable, moisture-absorbing and quick-drying materials shock absorption zones support natural movement of the foot non-irritating, comfortable surface structure anti-static properties arch support