

Product Datasheet uvex 1 G2 68507 - 68500 S2 SRC



UVEX ARBEITSSCHUTZ GmbH, Würzburger Str. 181-189, D-90766 Fürth

General features	<ul style="list-style-type: none"> • ultra-lightweight S1 safety boot • made from synthetic materials, making it suitable for people allergic to chrome • all sole materials are free of silicone, plasticisers and other paint wetting impairment substances
Protection features	<ul style="list-style-type: none"> • new, innovative uvex i-PUREnrj sole technology with the highest level of shock-absorbing properties at the forefoot and at the heel, excellent rebound over the entire midsole and optimal stability thanks to the foam heel basket • meets the ESD specification with volume resistance under 35 megaohms • new wider 100% metal-free uvex xenova® safety toe cap for more toe room and optimum fit — compact design, anatomical shape, good lateral stability and no thermal conductivity
Comfort features	<ul style="list-style-type: none"> • outstanding wearer comfort thanks to a newly developed last and climate-optimised, breathable materials • virtually seam-free, perforated upper in high-tech microvelour to eliminate pressure points • removable antistatic comfortable insole with a moisture transport system, additional shock absorption around the heel and forefoot and excellent support for the arch • soft padding on the dust tongue and collar • sizes 35 to 40 have been produced using a women's last
Outsole	<ul style="list-style-type: none"> • PUR outsole, non-marking • ergonomically designed outsole incorporates the latest biomechanical research, consisting of two layers of uvex i-PUREnrj polyurethane with excellent slip resistance. The

	<p>tread is particularly suited to industrial floor surfaces</p> <ul style="list-style-type: none">• excellent cushioning and extremely flexible• especially lightweight thanks to unique PUR sole unit• excellent slip resistance, self-cleaning tread• resistant to oil and petrol																							
Certificates	<ul style="list-style-type: none">• Certified with uvex medicare for individual, orthopedic inlay soles and individual adjustments of the sole unit such as overall increase, inside and outside increase and other solutions.																							
Areas of application	<ul style="list-style-type: none">• light applications																							
Technical data	<p>uvex 1 G2 boot S2 SRC</p> <table><tr><td>Art.-no.</td><td>68507</td><td>68508</td><td>68509</td><td>68500</td></tr><tr><td>Width</td><td></td><td>10</td><td>11</td><td>12</td><td>14</td></tr><tr><td>Standard</td><td colspan="5">EN ISO 20345:2011 S2 SRC</td></tr><tr><td>Size</td><td colspan="5">35 – 52</td></tr></table>	Art.-no.	68507	68508	68509	68500	Width		10	11	12	14	Standard	EN ISO 20345:2011 S2 SRC					Size	35 – 52				
Art.-no.	68507	68508	68509	68500																				
Width		10	11	12	14																			
Standard	EN ISO 20345:2011 S2 SRC																							
Size	35 – 52																							
Accessories	<p><i>Removable uvex 1 G2 comfortable climatic insole</i> (article no.: 94907 - 94900)</p> <ul style="list-style-type: none">• improved full-surface shock absorption• ultra-breathable, moisture-absorbing and quick-drying materials• shock absorption zones support natural movement of the foot• non-irritating, comfortable surface structure• anti-static properties• arch support																							