

# **Breathing Protection**

02.03.2021

Product data sheet uvex silv-Air 5210+ FFP2 NR D - large



## **Product information**

Product	Particle-filtering flat fold mask with exhalation valve		
features	Protection level FFP2		
Toutai oo	Ergonomically adapted for larger face shapes		
	<ul> <li>Innovative design with optimized shape</li> </ul>		
	Soft material edges for high wearing comfort		
	<ul> <li>Continuous head band (adjustable) for a comfortable and</li> </ul>		
	secure fit		
	The masks are individually packed		
	Exhalation valve reduces breathing resistance and build-up of heat and moisture in the mask		
	Flexible and adjustable nose clip		
	Compatible with uvex safety eyewear		
	Soft sealing lip (nose area) guarantees a secure, comfortable		
	sealed position of the mask		
	<ul> <li>Mask fulfils the requirements of the dolomite dust test (D)</li> </ul>		
Materials	Headband: textile		
	Adjustment piece: silicone		
	Nose clip: aluminum		
	Filter / mask: Melt blown PP, Polyester		
	Sealing lip: PVC		
	Valve: ABS		
Weight	17 g		
Standard	EN 149:2001 + A1:2009		

## **Versions**

10.0.0.0			
Article number	Colour/Version	Retail unit	
8735211	folding mask FFP2, white with valve, large version	15 pcs. per box	
8745211	folding mask FFP2, white with valve, large 3 pcs. per b version		
8735210	folding mask FFP2, white with valve, small to medium version 15 pcs. per box		

#### **Packaging sizes**

Box	approx. 300 x 220 x 100 mm
Outer Carton approx. 610 x 410 x 480 mm	

### Maximum breathing resistance acc. to EN149 in mbar

	Inhalation resistance	Inhalation resistance	Exhalation resistance
	30I/min.	95I/min.	160I/min.
FFP1	0,6	2,1	3,0
FFP2	0,7	2,4	3,0
FFP3	1,0	3,0	3,0

#### Areas of use\*

The respiratory protection mask can be	Woodworking, softwood, cement, metal,
used against solid, aqueous and non-	smog, fine dust, concrete, iron dust, ash,
volatile liquid aerosols up to 10 times the	cotton dust, fluoride, carbon fibres, gypsum,
respective limit values.	fibre glass, copper, nickel, soot, pollen,
	house dust, pet hair.

<sup>\*</sup>Please note that the above mentioned areas of use are examples only. The selection of PPE needs to be carried out by a competent person, in conjunction with relevant and current legislation.

All respiratory protective devices fall into PPE category III (high risks).

Uvex accepts no liability for any possible harm or damage which may result from this information. This data sheet does not replace a detailed risk assessment nor seeking specialist advise.