

Product Datasheet model i-vo 9160 265



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	• fashionable safety spectacles with adjustable side arms • reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape • soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit • the shape of the lenses ensures unrestricted peripheral vision
Technical details Frame Material Colour	Front piece TPU/TPE blue/orange

Material	Side piece
Features	PA
Colour	5 position length adjustability blue
Material	Temple
Features	PBT+PC/TPE
Colour	quattroflex temple blue/orange
Manufacturer's ID code	Marking
Applicable EN norm	W
Impact resistance	166
Resistance to high speed particles at extremes of temperat.	F (45 m/s) T
Lens	
Material	PC
Thickness	3 mm at PD
Coating	uvex supravision excellence
Colour	clear
UV protection	UV 400
Filter	Marking
Manufacturer's ID code	2C-1,2 (DIN EN 170)
Optical class	W
Impact resistance	1
Resistance to high speed particles at extremes of temperat	F (45 m/s) T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	

Miscellaneous	
Weight	33 g
Packing	5 spectacles per box 200 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170
PPE Category	Category II