

Product data sheet
Model 9916100 uvex pronamic mesh visor



-picture does not show the right mesh visor-

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics

- Fully integrated metal mesh visor with high transmission (approx. 60 %) protects against foreign objects and ensures a clear view
- Unique click & pull system for easy removal of the visor in click-in positions 3 and 4
- Visor can be pushed over the helmet shell into a parking position
- Well-balanced system, ergonomic relief for the wearer
- Can be combined with uvex pronamic industrial safety helmet B-WR, uvex pronamic B-S-WR, uvex pronamic S-KR, uvex pronamic alpine safety helmet

Technical details	
Carrier body	
material arm	PA 6
material adapter	PC ABS
material pull button	PA 6
material spring disc	PC ABS
material locking pin	PC PBT
colour adapter and arm	black
colour pull button	grey
Colour Manufacturer	Labelling Carrier body
EN standard	W
Mech. Strength	EN 1731:2006
Mark of conformity	F (45 m/s)
Certification body	CE
	0196
Visor	
material	metal
Colour	black
Colour Manufacturer	Labelling
EN standard	W
Mechanical strength	EN 1731:2006
Mark of conformity	F (45 m/s)
	CE
Miscellaneous	
Weight	175 g
Packaging	Individually packed in a polybag
	20 pcs in outer carton
Standard fulfilment	EN 1731:2006
PPE category	Category II

Spare parts and accessories:

Art.-Nr. 9916191	Replacement visor metal
Art.-Nr. 9790074	Sun/rain shield for visor
Art.-Nr. 9954362	Fabric bag for storing visors
Art.-Nr. 2600236	uvex pronamic adapter pull bayonet